

Certificate of Analysis



Print Date : 08/06/2021
Material Name : 844-2852 CHROMA-CHEM@ORGANIC YELLOW OY
Material Number : 99003561
Batch Number : 1081053110
Quantity : 0.000

ATTN.:

Date of Manufacture : 06/02/2021
Expiration/Retest Date : 06/01/2024

Product Specification

Parameters	Methods	Spec.Limits		Actual Values	Unit
		Min	Max		
VISCOSITY-STORMER (KU)	HTM-2	70	90	90	KU
WPG (LBS/GAL US)	HTM-3	8.80	9.40	9.23	lb/gal
GRIND	HTM-1	6.0		6.0	HG
COLOR UNIT DRAW DOWN 1				CIELAB	
DE BASE 1	HTM-6&7	0.00	0.50	0.11	
STRENGTH BASE 1	HTM-6&7	98.0	102.0	100.9	%
KG PER LITER	HTM-3	1.054	1.126	1.106	kg/l

Electronically generated

Raymond Mahadeo

QC Manager

Quality Authority

DISCLAIMER: This certificate has been prepared with care and the best of our knowledge as part of the quality assurance system from Chromaflo Technologies Corporation. It is provided for informational purposes only and does not relieve our customers of their obligation to perform proper incoming inspections upon receipt or establish any warranty to third parties to whom it might be passed on. Furthermore, it is solely the customer's responsibility to determine the suitability of the product for its intended use. Chromaflo Technologies Corporation warrants that the product described herein fully meets its sales specification. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHER WARRANTIES OR REPRESENTATIONS, WRITTEN OR ORAL, STATUTORY, EXPRESSED OR IMPLIED, AND THE WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. Before using any chemical, read its label and material safety data sheet.